## Asthma Treatment Plan — Student (This asthma action plan meets NJ Law N.J.S.A. 18A:40-12.8) (Physician's Orders)







(Please Pr	int)					
Name				Date of Birth	Effective Date	
Doctor	1.00	2	Parent/Guardian (if app	licable)	Emergency Contact	
Phone			Phone	Phone		
HEALTHY	You have <u>all</u> of these:  Breathing is good  No cough or wheeze  Sleep through the night  Can work, exercise, and play		Take daily control medicine(s). Some inhalers may be more effective with a "spacer" – use if directed.  MEDICINE HOW MUCH to take and HOW OFTEN to take it  Advair® HFA □ 45, □ 115, □ 230 □ 2 puffs twice a day  Aerospan™ □ 1, □ 2 puffs twice a day  Alvesco® □ 80, □ 160 □ 1, □ 2 puffs twice a day  Dulera® □ 100, □ 200 □ 2 puffs twice a day  Plovent® □ 44, □ 110, □ 220 □ 2 puffs twice a day  Qvar® □ 40, □ 80 □ 1, □ 2 puffs twice a day  Symbicort® □ 80, □ 160 □ 1, □ 2 puffs twice a day  Advair Diskus® □ 100, □ 250, □ 500 □ 1 inhalation twice a day  Hovent® Diskus® □ 50 □ 100 □ 250 □ 1 inhalation twice a day  To inhalation twice a day  I inhalation twice a day  I inhalation twice a day			○ Pets - animal
And/or Peak flow above			Pulmicort Flexhaler® □ 90, □ 180 □ 1, □ 2 inhalations □ once or □ twice a day         □ Pulmicort Respules® (Budesonide) □ 0.25, □ 0.5, □ 1.0 _ 1 unit nebulized □ once or □ twice a day         □ Singulair® (Montelukast) □ 4, □ 5, □ 10 mg 1 tablet daily         □ Other         □ None         Remember to rinse your mouth after taking inhaled medicine.         asthma, take puff(s)minutes before exercise.			O Pests - rodents, cockroaches O Odors (Irritants) O Cigarette smoke & second hand smoke O Perfumes, cleaning
CAUTION	(Yellow Zone) III	Y 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ontinue daily control me	edicine(s) and ADD q	uick-relief medicine(s).	products, scented products
15-20 minutes of 2 times and sym doctor or go to to	Ough     Mild wheeze     Tight chest     Coughing at night     Other:		MEDICINE  HOW MUCH to take and HOW OFTEN to take it  Albuterol MDI (Pro-air® or Proventil® or Ventolin®) _2 puffs every 4 hours as needed  Xopenex®			Smoke from burning wood, inside or outside  Weather Sudden temperature change Extreme weather - hot and cold Ozone alert days  Foods:
Your asthma is getting worse fast: • Quick-relief medicine did not help within 15-20 minutes • Breathing is hard or fast • Nose opens wide • Ribs show • Trouble walking and talking • Lips blue • Fingernails blue • Other:			thma can be a life-threatening illness. Do not wait!  DICINE HOW MUCH to take and HOW OFTEN to take it albuterol MDI (Pro-air® or Proventil® or Ventolin®) 4 puffs every 20 minutes albuterol 1.25, 2.5 mg 1 unit nebulized every 20 minutes 1 unit nebulized every 20 minutes 1 unit nebulized every 20 minutes 20 unit nebulized every 20 unit nebulize			Other:  This asthma treatment plan is meant to assist, not replace, the clinical decision-making required to meet individual patient needs
Buckliment to work in New 2010 the allerant file and control is you and it is established to be for all the place of a real work of an in the format of place of a real work of an interest of an interes			Self-administer Medication: is capable and has been instructed method of self-administering of the d inhaled medications named above with NJ Law. is not approved to self-medicate.	PHYSICIAN/APN/PA SIGNATU PARENT/GUARDIAN SIGNATU PHYSICIAN STAMP	Physician's Orders	DATE